SEQUENCE LISTING

<110> MENOZZI, Franco LOCHT, Camille

<120> IDENTIFICATION AND CLONING OF A MYCOBACTERIAL ANT/GEN CORRESPONDING TO A HEPARIN-BINDING HAEMAGGLUTINIA

<130> 960-34

<140> 09/192,579

<141> 1998-11-17

<150> FR 96 06168

<151> 1996-05-17

<160> 20

<170> PatentIn Ver. 2.1

<210> 1

<211> 39

<212> PRT

<213> Mycobacterium

<220>

<223> sequence comprising a region involved in interactions with sulphated glycoconjugates and in heparin binding

<400> 1

Lys Lys Ala Ala Pro Ala Lys Lys Ala Ala Pro Ala Lys Lys Ala Ala

Pro Ala Lys Lys Ala Ala Lys Lys Ala Pro Ala Lys Lys Ala Ala 20

Ala Lys Lys Val Thr Gln Lys 35

<210> 2

<211> 10

<212> PRT

<213> Mycoba¢terium

<220>

<223> pept/ide S1441

<400> 2

Lys Ala/Glu Gly Tyr Leu Glu Ala Ala Thr 1 5

TEGH CENTER 1600/2900



```
<210> 3
<211> 18
<212> PRT
<213> Mycobacterium
<220>
<221> CDS
<222> (1)
<223> peptide S1443; Xaa can be any amino acid
Xaa Glu Gly Tyr Val Asp Gln Ala Val Glu Leu Thr Gln Glu Ala Leu
                  5
                                      10
Gly Lys
<210> 4
<211> 9
<212> PRT
<213> Mycobacterium
<220>
<221> CDS
<222>(1), (4) and (8)
<223> peptide S1446; Xaa can be any amino acid
Xaa Gln Glu Xaa Leu Pro Glu Xaa Leu
  1
                  5
<210> 5
<211> 7
<212> PRT
<213> Mycobacterium
<220>
<223> Peptide S1447
<400> 5
Phe Thr Ala Glu Glu Leu Arg
  1
                  5
<210> 6
<211> 17
<212> DNA
<213> Mycobacterium
<220>
<223> Oligonucleotide originated from the S1441 peptide
      (oligo S1441)
<400> 6
aaggcsgagg gstacct
```

<210> <211>		
<212>	DNA	
<213>	Mycobacterium	
<220>		
	Oligonucleotide originated from the S1441 peptide	
	(reverse oligo S1441)	
	(Teverse Oligo Si441)	
<400>	7	
		17
aggtas	ccct csgcctt	17
010	•	
<210>		
<211>		
<212> 1		
<213> 1	Mycobacterium	
<220>		
<223>	Oligonucleotide originated from the S1443 peptide	
	(oligo S1443)	
<400>	8	
gaccag	gcsg tsgagct	17
<210>	Q	
<211>		
<211>		
<213> 1	Mycobacterium	
.000		
<220>		
	Oligonucleotide originated from the S1443 peptide	
	(reverse oligo S1443)	
<400>		
agetes	acsg cctggtc	17
<210>	10 ,	
<211> 3	21	
<212> 1	DNA	
<213> 1	Mycobacterium	
<220>		
<223> (Oligonucleotide named HBHASeq1 and used for	
	sequencing the gene coding for HBHA	
<400>	10	
	taca acgagctggt c	21
5 - 59		
<210> 1	11	
<211> 2		
<212> I		

	<213> Mycobacterium	
	<220>	
	<223> Oligonucleotide named HBHA Seqlinv and used for sequencing the gene coding for HBHA	
	sequencing the gene coding for ABHA	
	<400> 11	
	gaccageteg ttgtacegge t	21
	<210> 12	
	<211> 19	
	<212> DNA	
	<213> Mycobacterium	
	-200	
	<220>	
	<223> Oligonucleotide named HBHASeq2 and used for	•
	sequencing the gene coding for HBHA	
	<400> 12	
	catccaacac gtcgactcc	19
	<210> 13	
	<211> 19	
	<211> 15 <212> DNA	
	<213> Mycobacterium	
	12137 MyCobacterium	
	<220>	
	<223> Oligonucleotide named HBHA Seq3 and used for	
	sequencing the gene coding for HBHA	
•	<400> 13	
	ttgatgtcat caatgttcg	19
	<210> 14	
	<211> 19	
	<212> DNA	
	<213> Mycobacterium	
	<220>	
	<223> Oligonucleotide named HBHA Seq4 and used for	
	sequencing the gene coding for HBHA	
	<400> 14	
	cgtggaccag gcggtggag	19
	<210> 15	
	<211> 21	
	<211> 21 <212> DNA	
	<213> Mycobacterium	
	<220>	
	<223> Oligonucleotide named HBHA Seq 5 and used for	
	sequencing the gene coding for HBHA	

```
<400> 15
                                                                     21
 gacgatcagg aggtttcccc g
 <210> 16
 <211> 24
 <212> DNA
 <213> Mycobacterium
 <220>
 <223> Oligonucleotide named reverse primer and used for
       sequencing the gene coding for HBHA
 <400> 16
 agcggataac aatttcacac agga
                                                                     24
 <210> 17
 <211> 149
 <212> DNA
 <213> Mycobacterium
 <220>
 <223> nucleotide sequence and amino sequence of a fragment of HBHA
       deduced from a PCR fragment of chromosomal BCG DNA
 <220>
 <221> CDS
 <222> (1)..(147)
 <400> 17
 aag gcc gag ggc tac ctc gag gcc gcg act agc cgg tac aac gag ctg
                                                                     48
 Lys Ala Glu Gly Tyr Leu Glu Ala Ala Thr Ser Arg Tyr Asn Glu Leu
                    5
 gtc gag cgc ggt gag gcc gct cta gag cgg ctg cgc agc cag cag agc
                                                                     96
 Val Glu Arg Gly Glu Ala Ala Leu Glu Arg Leu Arg Ser Gln Gln Ser
               20
                                   25
                                                        30
 ttc gag gaa gtg tcg gcg ccc gcc gaa ggc tac gtg gac cag gcg gtc
 Phe Glu Glu Val Ser Ala Pro Ala Glu Gly Tyr Val Asp Gln Ala Val
           35
 gag ct
                                                                     149
 Glu
 <210> 18
 <211> 49
 <212> PRT
 <213> Mycobacterium
 <223> amino sequence of a fragment of HBHA deduced from a
```

PCR fragment of chromosomal BCG DNA

1

<400> 18 Lys Ala Glu Gly Tyr Leu Glu Ala Ala Thr Ser Arg Tyr Asn Glu Leu Val Glu Arg Gly Glu Ala Ala Leu Glu Arg Leu Arg Ser Gln Gln Ser 20 25 30 Phe Glu Glu Val Ser Ala Pro Ala Glu Gly Tyr Val Asp Gln Ala Val 40 Glu <210> 19 <211> 1097 <212> DNA <213> Artificial Sequence <220> <223> Description of Artificial Sequence: DNA sequence of the BCG gene coding for HBHA <220> <221> CDS <222> (331)..(924) <223> CDS from 811 to 828, from 829 to 846, from 847 to 864, from 865 to 885 and from 895 to 915 : peptide which may be particularly involved in interactions with sulphated glycoconjugates <400> 19 cggctggcgg gtaatcaaac ctgaaggaca gtcatctggg tgaggtcgac cgcaggctga 60 tccagccgat cggccggcgc tggccaacag cgactccgtc gatgacgtgc agcaaaggag 120 acatgtagtg accggatcag ctgggcctga catctacgaa ctcgaccgac aaccgacccg 180 acgatcagga ggtttccccg gcaagtcgcg tgccatgtca atccgcgggt cttgactagt 240 cctccctgga ggagccgacg cttgccccaa cgtccagacc aaagatgtaa gaacgccgat 300 atcagaaaat agttaatgaa aggaataccc atg gct gaa aac tcg aac att gat Met Ala Glu Asn Ser Asn Ile Asp 1 5 gac atc aag gct ccg ttg ctt gcc gcg ctt gga gcg gcc gac ctg gcc 402 Asp Ile Lys Ala Pro Leu Leu Ala Ala Leu Gly Ala Ala Asp Leu Ala 15 ttg gcc act gtc aac gag ttg atc acg aac ctg cgt gag cgt gcg gag 450 Leu Ala Thr Val Asn Glu Leu Ile Thr Asn Leu Arg Glu Arg Ala Glu gag act cgt acg gac acc cgc agc cgg gtc gag gag agc cgt gct cgc 498 Glu Thr Arg Thr Asp Thr Arg Ser Arg Val Glu Glu Ser Arg Ala Arg

50

45

_				_	_	_	_			_				ctg Leu		546
														tac Tyr		594
														gag Glu		642
														tcg Ser		690
														gag Glu 135		738
														gcc Ala		786
-		_				_		_	_	_	_	_	_	aag Lys	_	834
_	_	_	_	_	_	_	_	_	_	_	_			gcc Ala	_	882
				aag Lys												924
aagt	agto	gg g	gctco	cgaat	c ac	ccato	cgact	ccg	gagto	cgcc	cacç	gggg	cga (ctcg	gagtcg	984
acgt	gttg	gga t	gcaa	aacco	gc at	agto	ctgaa	a tgo	gtga	agcc	acct	cgt	ggg 1	tacco	gtcatg	1044
ctgg	gtatt	gc t	ggto	gccg	gt ct	tggt	gaca	a gcg	ggtgt	acg	cgtt	tgtg	gca 1	tgc		1097

<210> 20

<211> 198

<212> PRT

<213> Mycobacterium

<223> Amino acid for HBHA

<400> 20

Met Ala Glu Asn Ser Asn Ile Asp Asp Ile Lys Ala Pro Leu Leu Ala $1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15$

Ala Leu Gly Ala Ala Asp Leu Ala Leu Ala Thr Val Asn Glu Leu Ile 20 25 30 Thr Asn Leu Arg Glu Arg Ala Glu Glu Thr Arg Thr Asp Thr Arg Ser 35 40 #5

Arg Val Glu Glu Ser Arg Ala Arg Leu Thr Lys Leu Gln Glu Asp Leu 50 55 60

Pro Glu Gln Leu Thr Glu Leu Arg Glu Lys Phe/Thr Ala Glu Glu Leu 65 70 78 80

Arg Lys Ala Ala Glu Gly Tyr Leu Glu Ala Ala Thr Ser Arg Tyr Asn 85 90 95

Glu Leu Val Glu Arg Gly Glu Ala Ala Leu Glu Arg Leu Arg Ser Gln
100 105 110

Gln Ser Phe Glu Glu Val Ser Ala Pro Ala Glu Gly Tyr Val Asp Gln
115 120 125

Ala Val Glu Leu Thr Gln Glu Ala Leu Gly Thr Val Ala Ser Gln Thr
130 135 140

Arg Ala Val Gly Glu Arg Ala Ala Lys Leu Val Gly Ile Glu Leu Pro 145 150 155 160

Lys Lys Ala Ala Pro Ala/Lys Lys Ala Ala Pro Ala Lys Lys Ala Ala
165 170 175

Pro Ala Lys Lys Ala Ala Lys Lys Ala Pro Ala Lys Lys Ala Ala 180 185 190

Ala Lys Lys Val Thr Gln 195